

# VA-7150 Electric Valve Actuator

### Introduction

The VA-7150 series synchronous motor driven actuator provides floating or proportional control of valves with up to 19mm stroke in heating, ventilation and air conditioning applications.

This compact, non-spring return actuator has 500 N nominal force and responds to a variety of input signals.

The VA-7150 series can be easily fitted locally or ordered pre-fitted to VG7000 and VBF flanged valve series in accordance with the specified maximum close-off pressure ratings (see pertinent valve bulletins)



VA-7150 valve-actuator with VBF flanged valve and VG7010 threaded valve

Features and Benefits					
	500 N force output in a compact unit	Covers a wide range of applications with one actuator			
	Magnetic clutch	Provides constant output force for closeoff of valves, and protects motor in stall conditions			
	Unique Yoke Design	Easy in-situ fitting reduces installation and stroke adjustment time			
	Coupler for simple actuator attachment to flanged valves	Quick and easy fitting of the actuator to valves with slotted stem			
	Positioner with adjustable starting point and span, reverse and direct action modes	Easy setup and installation and allows sequence control			
	"Signal fail" safe position	Valve safety position after control signal failure, the safety position, up / down, is selectable in-situ			

### Ordering data

VA-715 - 0 Voltage supply

1 24 VAC, 50 / 60 Hz
3 230 VAC, 50 / 60 Hz (only for floating models)

Valve type

10 Threaded valves: VG7000, VG7010
82 Flanged valves: VBF PN6 and PN10

Control Type

0 Floating

Note: floating models with  $2 \mbox{k} \Omega$  feedback and auxiliary switches are available on request

### Ordering procedure

2

The actuator can be ordered as a separate unit or a factory fitted valve-actuator combination. Should the latter be required, please just add "+M" to the end of the actuator ordering code.

Proportional 0...10V

#### For example:

Item 1 VG7203AT (valve body)
Item 2 VA-7152-1001 (actuator)

Alternatively, to order a factory fitted combination.

Item 1 VG7203AT (valve body)
Item 2 VA-7152-1001+M (actuator)

# $oldsymbol{R}$ epair Information

Do not attempt local repair. For a replacement actuator, contact the nearest Johnson Controls representative.

### $oldsymbol{A}$ ctuator / valve combinations

The VA-7150 can be combined with the following valve ranges:

VG7000 and VG7010 series

VG7 T All body types DN 15...50

#### VBF series, PN6 and PN10

VBF- 4 -5200 two-way PDTO DN 15...50 VBF- 8 -5200 Three-way mixing DN 15...40

For complete ordering information, please refer to the relevant product bulletin

### **O**peration

The VA-715x Series actuators use a reversible synchronous motor and magnetic clutch to accurately position the valve. The combination can reliably generate 500 N of force in either direction.

When the signal is removed the shut-off force is maintained until the controller sends signal for actuator stem to retract.

The magnetic clutch maintains a constant load at the end of travel, which ensures tight valve shutoff and compensates for seat wear. VA-7150 3

#### Floating Control VA-7150

A controller provides 24 VAC to the "extend stem", "retract stem" and common terminals depending upon the required valve position. The signal causes the motor to rotate in the desired direction. The gear train and drive screw extends or retracts the stem.

When the controller signal ceases, the valve stem position is maintained until the next control signal is received.


Note: In incremental application, there is no direct correlation between valve position and controller output (0 to 100 %). If correlation is important, use proportional control or actuators that provide position feedback.

#### **Proportional Control VA-7152**

The VA-7152 provides a proportional stroke in relation to the input control signal of 0 to 10, 0 to 5, or 5 to 10 VDC jumper selectable input control signals. It also features stroke selection and Direct Acting (DA) or Reverse Acting (RA) jumpers.

An electronic controller provides the proportional input signal to the VA-7152. The signal is compared to the actual valve position via internal feedback potentiometer.

The internal circuit activates the motor, which rotates in the desired direction. The gear train and drive screw move the valve stem to the position called for by the input signal.




#### "Signal Fail" safe position

A signal failure on proportional models will cause the actuator to automatically move the stem to a (via jumper) pre-selected position (completely extended or completely retracted).

### **M**ounting instructions

When mounting the actuator on a valve, please follow the instructions below:

 It is recommended that the valves be mounted upright in an easily accessible location.



- The actuator must be protected against dripping water, which could enter the housing and damage the mechanism or motor.
- Do not cover with insulating material.
- Sufficient clearance must be allowed for actuator removal (refer to the "Dimension" drawings).
- The valve must be installed so that the plug seats against the flow, as indicated by the arrows on the valve.

# Wiring instructions

- All wiring must be in accordance with local regulations and national electrical codes and should be carried out by authorised personnel only.
- Make sure that the line power supply is in accordance with the power supply specified on the device.



#### WARNING

#### **Shock Hazard**


Disconnect the power supply before wiring connections are made to prevent personal injury.

#### **Equipment Damage Hazard**


Make and check all wiring connections before applying power to the system. Short circuited or improperly connected wires may result in permanent damage to the unit.

# **W**iring Diagrams:


#### Floating models 24 VAC



#### \_\_\_\_\_




#### Proportional model 24 VAC




VA-7150 5

### Adjustments for proportional models



#### **VA-7152 Components**

The setting from the factory is: Direct acting mode, 1 to 9  $\pm$  0.5 VDC for use with 0 to 10 VDC controller, 19 mm stroke and "signal fail" safe position jumper is set for fully retracted.



**Jumpers** 

# Calibration

- 1. Set the input selection jumpers to match the desired operating range:
  - Top Jumper = 0 to 10 V
  - Center Jumper = 0 to 5 V
  - Bottom Jumper = 5 to 10 V
- 2. Set the short/long stroke selection jumper:
  - Short for 13 mm or less
  - Long for over 13 mm
- 3. Set the direct/reverse action jumper so that the valve stem travels in the desired direction (per changes in control signal):
  - Direct Action DA (Top jumper) = stem extends on signal increase
  - Reverse Action RA (Bottom jumper) = stem retracts on signal increase


- 4. Set the signal fail position jumper to select default position fully retracted or fully extended. If the signal is lost at the actuator (open connection), the actuator will default to this pre- designated position.
- Apply voltage specified by application requirements to drive the actuator stem to the fully retracted position using the following chart:

Application Values	Calibration Values	
0-10	1-9	
0-5	1-4	
5-10	6-9	

Note: Use of the calibration values will ensure proper shutoff throughout the life of the valve (compensates seat wear).

DA: fully retracted (minimum voltage)
RA: fully retracted (maximum voltage)

**VA-7152 Calibration Values** 



#### **VA-7152 Adjustments**

- To ensure that the valve stem is in fully extended position, turn the zero-adjust knob anti-clockwise, until the valve stem reaches the end of stroke.
- Slowly turn the zero-adjust knob clockwise and stop as soon as the LED flashes or extinguishes.

Note: The LED will illuminate while the actuator is in operation. The actuator circuit contains a time out feature. If calibration takes longer than 3 - 10 minutes, the LED extinguishes, indicating a false satisfied condition. If this occurs, turn off the power, wait several seconds, turn the power on, and then readjust the zero-adjust knob.

- 8. Apply the input voltage specified by application requirements to drive the valve stem to the fully retracted position per calibration value.
- 9. To ensure that the valve stem is in the fully retracted position, adjust the stroke potentiometer fully clockwise until the valve stem reaches the end of stroke.
- 10. Slowly turn stroke potentiometer anticlockwise until LED extinguishes.
- 11. Adjust voltage to drive actuator to the fully retracted position. Verify zero adjustment.


 Check for proper operation using the desired minimum and maximum operating voltages.
 Allow the actuator to operate through several complete cycles.


Note: The LED will remain illuminated for 3-10 minutes after the actuator has completed operation cycle.

13. Replace the cover and secure with the screw. The unit is ready for operation.

VA-7150 7

# **Dimensions** (in mm)





VA-715x-820x

# **S**pecifications

Models:	Floating		Proportional		
Action / control:	Optional 010 VDC feedback		010 VDC		
		Optional 2 k $\Omega$ feedback			
	Optional 1	Optional 1 aux. switch			
Type of motor:		e			
Supply voltage (50/60 Hz):	230 V ±15%	24 V ± 15%	24 V ± 15%		
Motor ratings:	2.7 VA	2.7 VA	2.7 VA		
Electronic positioner ratings:		-	2 VA 100 kΩ input impedance		
Actuator force:	500 N ± 20%				
Stroke:	20 mm maximum				
Nominal speed at 50 Hz (60 Hz):					
Enclosure protection:	IP 40 (IEC 60529)				
Materials: Enclosure: Yoke:	Self extinguishing VO-UL 94 ABS + PC				
Ambient Operating condition:	-5 to +55° C, non condensing				
Ambient Storage condition:	-20 to +65 °C, non condensing				
Electrical connections: Optional pcb:	2.5 mm <sup>2</sup>	2.5 mm <sup>2</sup> 1.5 mm <sup>2</sup>	1.5 mm <sup>2</sup> 1.5 mm <sup>2</sup>		
Net weight:					
C∈ Compliance:	European Directives: EMC (89 / 336 EEC) according to standard EN 50081-1 and EN 50082-1 LVD (73 / 23 EEC) according to standard EN 60335				

The performance specifications are nominal and conform to acceptable industrial standards. For application at conditions beyond these specifications, consult the local Johnson Controls office.

Johnson Controls International, Inc. Headquarters: Milwaukee, WI, USA European Headquarters: Westendhof 8, 45143 Essen, Germany European Factories: Essen (Germany), Leeuwarden (The Netherlands), Lomagna (Italy) Branch Offices: principal European Cities This document is subject to change without notice

Johnson Controls, Inc. are not liable for damages resulting from misapplication or misuse of its products.